

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/083,942	02/27/2002	John Alfred King	applied_116	9770
29397	7590 07/22/2005		EXAM	INER
LAW OFFICE P.O. BOX 270	CE OF GERALD MAI	LU, JIA		
	CA 92198-2829		ART UNIT	PAPER NUMBER
•			2634	

DATE MAILED: 07/22/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		(K		
	Application No.	Applicant(s)		
	10/083,942	KING, JOHN ALFRED		
Office Action Summary	Examiner	Art Unit		
	Jia W. Lu	2634		
	ears on the cover sheet	with the correspondence address		
• •	/ IC CET TO EVDIDE A	MONTHS FROM		
MAILING DATE OF THIS COMMUNICATION. nsions of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. Properties that thirty (30) days, a reply operiod for reply specified above, the maximum statutory period were to reply within the set or extended period for reply with, by statute,	36(a). In no event, however, may within the statutory minimum of to will apply and will expire SIX (6) M cause the application to become	a reply be timely filed hirty (30) days will be considered timely. ONTHS from the mailing date of this communication. ABANDONED (35 U.S.C. § 133).		
•				
Responsive to communication(s) filed on 27 Fe	ebruary 2002.			
· · · · · <u> </u>		•		
·—		atters, prosecution as to the ments is		
ion of Claims				
.,				
, ,				
•				
	r election requirement.			
ion Papers				
The specification is objected to by the Examine	r			
•		objected to by the Examiner		
		`; `		
	•			
Index 35 II S C & 119				
-				
☐ All b)☐ Some * c)☐ None of: 1.☐ Certified copies of the priority documents	s have been received.			
		 -		
	-	on received in this Mational Stage		
		ot received.		
· · · · · · · · · · · · · · · · · · ·	, ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;			
t(s)	·			
e of References Cited (PTO-892)		v Summary (PTO-413) o(s)/Mail Date		
nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08)		f Informal Patent Application (PTO-152)		
	The MAILING DATE of this communication appropries ORTENED STATUTORY PERIOD FOR REPLY MAILING DATE OF THIS COMMUNICATION. Insions of time may be available under the provisions of 37 CFR 1.1: SIX (6) MONTHS from the mailing date of this communication, as in period for reply specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b). Responsive to communication(s) filled on 27 Feb. This action is FINAL. 2b) This Since this application is in condition for allowar closed in accordance with the practice under Edition of Claims Claim(s) 1-38 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw. Claim(s) 1-5,20-24,26-30,32-36 and 38 is/are acclaim(s) is/are rejected. Claim(s) 6-19,25,31 and 37 is/are objected to. Claim(s) 6-19,25,31 and 37 is/are objected to. Claim(s) are subject to restriction and/or ion Papers The specification is objected to by the Examine The drawing(s) filed on 27 February 2002 is/are Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Examine The oath or declaration is objected to by the Examine The Opinity documents of the priority documents of th	Office Action Summary Examiner Jia W. Lu		

DETAILED ACTION

Drawings

- 1. New corrected drawings in compliance with 37 CFR 1.121(d) are required in this application because current drawings are not acceptable for publication. Applicant is advised to employ the services of a competent patent draftsperson outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.
- 2. The drawings are objected to because those abbreviations and variables that are self-defined or not commonly understood in the art should be spelled out in order to facilitate understanding of the drawings. This is in reference to figures 1-4, elements 120; figure 6, element 526; figure 7, elements 704, 706, 606a; figure 8a 804, 806, 807a, 808, 810; figure 9a, elements 904, 906, 907a; figure 9b, element 924, 932:.
- 3. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: 807a in figure 8a.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement

Art Unit: 2634

drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Objections

- 4. Claims 6, 7, 12, 13, 25, 31 and 37 are objected to because of the following informalities:
 - a. Regarding claim 7, in line 13, "P" is not defined.
 - b. Regarding claim 13, in line 10, "(P)" should be "(Fd1)".
 - c. Regarding claims 6, 12, 25, 31, 37, the variable "n" should be properly defined; also, the variable "\sigma" should be explicitly defined as "standard deviation".

Appropriate correction is required.

Application/Control Number: 10/083,942

Art Unit: 2634

5. Claim 8-11, 14-19 are objected to as being dependent upon objected base claims, but would be otherwise allowable.

Allowable Subject Matter

6. Claims 1-5, 20-24, 26-30, 32-36 and 38 are allowed.

The following is an examiner's statement of reasons for allowance:

Prior art fails to show a clock data recovery system comprising a phase/frequency detector that is responsive to a VCO frequency, a mean frequency of transitions, and a transition probability.

Conclusion

This application is in condition for allowance except for the following formal matters:

See above objections.

Prosecution on the merits is closed in accordance with the practice under *Ex* parte Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO**MONTHS from the mailing date of this letter.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jia W. Lu whose telephone number is 571-272-6042. The examiner can normally be reached on Mon- Fri, 10:30AM-6:30PM.

Art Unit: 2634

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Chin can be reached on (571)272-3056. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jia Lu Examiner

SUPERVISORY PATENT EXAMINE
TECHNOLOGY CENTER 2600